

Electrical Copper Coil Tubing Pipe 15mm ASTM B152M Standard

Basic Information

Place of Origin: chinaBrand Name: JinshunlaiCertification: IOS

Model Number: 0.1mm-900mm

Minimum Order Quantity: 1kgPrice: 5000usdDelivery Time: 5day

• Payment Terms: L/C, T/T, Western Union,D/P

• Supply Ability: 90000ton



Product Specification

• Application: Industrial, Commercial, Etc.

• Color: Silver, Gold, Etc.

Form: TubingSize: Customized

• Surface Treatment: Polishing, Anodizing, Etc.

Temperature Rating: CustomizedColor: Red Yellow

• Highlight: ASTM Copper Coil Tubing,

15mm Copper Coil Tubing, ASTM 15mm copper pipe coil

Product Description

Products Name	Electrical Copper Coil Tubing Pipe 15mm ASTM B152M Standard	
Thickness	0.5-120mm	
Width	2-2500mm	
MOQ	1 Tons	
Length	100-6000mm	
Surface	Mill,Polished,Bright,Mirror,Hair Line,Brush,Checkered,Antique,Sand Blast,Etc	
Standard	ASTM B152M, JIS H3250-2006,GB2040-2008,ASTM B36,ASTM B194,	
Delivery Time	7-15 Days	
Packing	Standard Seaworthy Packing	
Application	Construction, Decoration	
Payment Term	Т/Т,	

Copper Rod Description

We Sustained A Large Stock Of Copper Rod And Copper Round Bar.


Copper Rod Is A Kind Of Non-Ferrous Metal Processing Rod, Which Has Good Processing Performance And High Electrical Conductivity. Mainly Divided Into Brass Rods (Copper-Zinc Alloy, Less Expensive) And Copper Rods (Higher Copper Content).

Application Range: Air-Conditioning Pipes, Refrigerator Pipes, Oil Pipes, Water Supply Pipes And Various Mechanical Supporting Materials, Automobile Synchronizer Gear Rings, Marine Pumps, Valves, Structural Parts, Friction Accessories, Etc.

Copper Rod Specification

External Diameter:	3mm-800mm,Etc	Length:	500-12000mm Or Customization		
Machining:	Customization	Standard:	ASTM,AISI,JIS,GB, DIN,EN		
Surface Finish	Mill,Polished,Bright,Oiled,Hair Line,Brush,Mirror,Sand Blast,Or As Required.				
Certification:	ISO, DFARS, REACH RoHS	Trade Terms	FOB,CRF,CIF,EXW All Acceptable		
Loading Port	Any Port In China	Delivery Time	7-15 Working Days After The Receipt Of 30% Deposit		
Copper	GB				
	T1,T2,T3,TU1,TU0,TU2,TP1,TP2,TAg0.1,				
	ASTM				
	C10100,C10200,C10300,C10400,C10500,C10700,C10800,C10910,C10920,				
	C10930,C10940,C11000,C11300,C11400,C11500,C11600,C12000,C12200,				
	C12300,C12500,C14200,C14420,C14500,C14510,C14520,C14530,C14700,				
	C15100,C15500,C16200,C16500,C17000,C17200,C17300,C17410,C17450,				
	C17460,C17500,C17510,C18700,C19010,C19025,C19200,C19210,C19400,				
	C19500,C19600,C19700,				
	JIS				
	C1011,C1020,C1100,C1201,C1220,C1221,C1401,C1700,C1720,C1990				

Copper Rod Production Process



We Use High-Quality Raw Materials, And Strictly Control The Production Process To Ensure That All Products Are In Line With International Standards Of Quality Products. We Can Provide Third-Party Quality Inspection Certificates, And We Pay Attention To The Reliability Of Product Quality And The Authenticity Of Test Results.

Inventory & Packaging





+86-17763564398

sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China