

## 5mm Beryllium Solid Copper Rod CuCo1Ni1Be ODM

Our Product Introduction

for more products please visit us on [copper-solid.com](http://copper-solid.com)

### Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: IOS
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Delivery Time: 5days
- Payment Terms: L/C, T/T , Western Union,D/P
- Supply Ability: 90000ton



### Product Specification

- Color: Red Yellow
- Elongation: 25%
- Material: Copper
- Melting Point: 1981.4°F (1083.8°C)
- Product Name: Solid Copper Rod
- Shape: Rod
- Specific Heat Capacity: 0.092 BTU/lb-°F (0.385 J/g-°C)
- Surface Finish: Polished
- Highlight: **CuCo1Ni1Be Solid Copper Rod, ODM Solid Copper Rod, ODM 5mm copper rod**



Product Description

KEY ATTRIBUTES

INDUSTRY-SPECIFIC ATTRIBUTES

|              |          |
|--------------|----------|
| CU (MIN)     | STANDARD |
| ALLOY OR NOT | IS ALLOY |

OTHER ATTRIBUTES

|                    |                             |
|--------------------|-----------------------------|
| PLACE OF ORIGIN    | CHINA JIANGSU               |
| BRAND NAME         | JINSHUNLAI                  |
| APPLICATION        | ELECTRICAL                  |
| SHAPE              | ROUND                       |
| LENGTH             | REQUIRED                    |
| GRADE              | COPPER ALLOY                |
| PROCESSING SERVICE | BENDING, CUTTING            |
| SHAPE              | ROUND. SQUARE. RECTANGULAR  |
| PRODUCT NAME       | COPPER BAR                  |
| MATERIAL           | T1 T2 C10200 C11600 C71520  |
| SURFACE            | BRIGHT                      |
| LENGTH             | REQUIRED                    |
| HARDNESS           | 1/2 HARD/1/4HARD/ HARD      |
| MOQ                | 1 TON                       |
| DELIVERY TIME      | 7-25 DAYS                   |
| PACKING            | STANDARD SEA-WORTHY PACKING |

[VIEW MORE](#)

PRODUCT DETAILS

PRODUCTS DESCRIPTION

|          |                                                                                                              |
|----------|--------------------------------------------------------------------------------------------------------------|
| TEM      | COPPER PIPES                                                                                                 |
| STANDARD | GB/T1527-2006,JIS H3300-2006,ASTM B75M,ASTMB42,ASTMB111,ASTMB395,ASTM B359,ASTM B188,ASTM B698,ASTM B640,ETC |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MATERIAL    | T1,T2,C10100,C10200,C10300,C10400,C10500,C10700,C10800,C10910,C10920,<br>TP1,TP2,C10930,C11000,C11300,C11400,C11500,C11600,C12000,C12200,C12300,<br>TU1,TU2,C12500,C14200,C14420,C14500,C14510,C14520,C14530,C17200,C19200,<br>C21000,C23000,C26000,C27000,C27400,C28000,C33000,C33200,C37000,C44300,<br>C44400,C44500,C60800,C63020,C65500,C68700,C70400,C70600,C70620,C71000,<br>C71500,C71520,C71640,C72200,ETC |
| SHAPE       | ROUND,SQUARE,RECTANGULAR,OVAL,HALF-ROUND                                                                                                                                                                                                                                                                                                                                                                           |
| SIZE        | 1~800MM                                                                                                                                                                                                                                                                                                                                                                                                            |
| HARDNESS    | 1/16 HARD,1/8 HARD,3/8 HARD,1/4 HARD,1/2HARD,FULL HARD,SOFT,ETC                                                                                                                                                                                                                                                                                                                                                    |
| SURFACE     | MILL,POLISHED,BRIGHT,OILED,HAIR LINE,BRUSH,MIRROR,SAND BLAST,OR AS REQUIRED                                                                                                                                                                                                                                                                                                                                        |
| EXPORT TO   | SINGAPORE,INDONESIA,UKRAINE,KOREA,THAILAND,VIETNAM,SAUDI ARABIA,BRAZIL,SPAIN,CANADA,<br>USA,EGYPT,INDIA,KUWAIT,DUBAI,OMAN,KUWAIT,PERU,MEXICO,IRAQ,RUSSIA,MALAYSIA,ETC                                                                                                                                                                                                                                              |
| PACKAGE     | STANDARD EXPORT PACKAGE ,OR AS REQUIRED.                                                                                                                                                                                                                                                                                                                                                                           |
| APPLICATION | COPPER PRODUCTS ARE WIDELY USED IN AVIATION,<br>AEROSPACE, SHIPS, MILITARY INDUSTRY,<br>METALLURGY, ELECTRONICS, ELECTRICAL, MECHANICAL,<br>TRANSPORTATION, CONSTRUCTION AND<br>OTHER FIELDS OF THE NATIONAL ECONOMY.                                                                                                                                                                                              |

## PRODUCT SHOW

---

---

---

---

---

---

