

# CuCo2Be UNS C17500 Beryllium Copper Pipe 54mm Copper Tube

#### **Basic Information**

Place of Origin: chinaBrand Name: jinshunlaiCertification: IOS

Model Number: 0.1nm-900nm

Minimum Order Quantity: 1kg Price: contact us Delivery Time: 5days

• Payment Terms: L/C, T/T , Western Union,D/P

• Supply Ability: 90000ton



# **Product Specification**

Application: Industrial
Certificate: ISO, SGS, BV
Color: Copper Color
Length: Customized
MOQ: 1 Piece
Material: Copper
Outer Diameter: Customized

Package: Standard Export Package

Processing Technology: Extrusion Shape: Tube

• Standard: ASTM, JIS, DIN, GB

Surface Treatment: Polished
 Tolerance: High Precision
 Wall Thickness: Customized
 Color: Red Yellow

## **Product Description**

## **KEY ATTRIBUTES**

#### **INDUSTRY-SPECIFIC ATTRIBUTES**

TYPE	CUSTOMIZED
CU (MIN)	99.97%
ALLOY OR NOT	NON-ALLOY
ULTIMATE STRENGTH (≥ MPA)	205-245
ELONGATION (≥ %)	40

#### **OTHER ATTRIBUTES**

PLACE OF ORIGIN	JIANGSU, CHINA
APPLICATION	AIR CONDITIONERS
SPECIFICATION	2-910MM
GRADE	COOPER
LENGTH	1-12M
WALL THICKNESS	0.1-30MM CUSTOMIZED
OUTSIDE DIAMETER	2-910MM
MODEL NUMBER	COPPER PIPE
PROCESSING SERVICE	BENDING, DECOILING, WELDING, PUNCHING, CUTTING
KEYWORD	AIR CONDITION OR REFRIGERATOR
SHAPE	COPPERTUBE
MOQ	1 TON
SAMPLE	AVALIABLE

## **VIEW MORE**

## **PRODUCT DETAILS**

# **PRODUCT DESCRIPTION**

#### **APPLICATION**

INDUSTRIAL FIELD: COPPER
PIPE IS AN IMPORTANT
MATERIAL FOR
MANUFACTURING CHEMICAL
EQUIPMENT, PETROLEUM
EQUIPMENT, HEAT
EXCHANGERS,

COOLERS AND PNEUMATIC EQUIPMENT. COPPER PIPES HAVE GOOD THERMAL CONDUCTIVITY AND CAN BE USED TO MANUFACTURE VARIOUS HEAT

EXCHANGERS, SUCH AS AUTOMOTIVE RADIATORS, AIR CONDITIONERS AND CONDENSERS.

## **SPECIFICATION**

TYPE CUSTOMIZED  APPLICATION AIR CONDITIONERS  SPECIFICATION 2-910MM  GRADE COOPER  LENGTH 1-12M  CU (MIN) 99.97%  ALLOY OR NOT NON-ALLOY  ULTIMATE STRENGTH (≥ MPA)  ELONGATION (≥ %) 40  WALL THICKNESS 0.1-30MM CUSTOMIZED  OUTSIDE DIAMETER 2-910MM  MODEL NUMBER COPPER PIPE  PLACE OF ORIGIN CHINA  JIANGSU  PROCESSING SERVICE BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD AIR CONDITION OR REFRIGERATOR  SHAPE COPPERTUBE  MOQ 1 TON		
APPLICATION  AIR CONDITIONERS  SPECIFICATION  2-910MM  GRADE  COOPER  LENGTH  1-12M  CU (MIN)  99.97%  ALLOY OR NOT  NON-ALLOY  ULTIMATE STRENGTH (≥ 205-245 MPA)  ELONGATION (≥ %)  WALL THICKNESS  0.1-30MM CUSTOMIZED  OUTSIDE DIAMETER  2-910MM  MODEL NUMBER  COPPER PIPE  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	ITEM	VALUE
SPECIFICATION  GRADE  COOPER  LENGTH  1-12M  CU (MIN)  99.97%  ALLOY OR NOT  NON-ALLOY  ULTIMATE STRENGTH (≥ 205-245  MPA)  ELONGATION (≥ %)  WALL THICKNESS  0.1-30MM CUSTOMIZED  OUTSIDE DIAMETER  2-910MM  MODEL NUMBER  COPPER PIPE  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	TYPE	CUSTOMIZED
GRADE  LENGTH  1-12M  CU (MIN)  99.97%  ALLOY OR NOT  NON-ALLOY  ULTIMATE STRENGTH (≥ 205-245  MPA)  ELONGATION (≥ %)  WALL THICKNESS  0.1-30MM CUSTOMIZED  OUTSIDE DIAMETER  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	APPLICATION	AIR CONDITIONERS
LENGTH  CU (MIN)  99.97%  ALLOY OR NOT  NON-ALLOY  ULTIMATE STRENGTH (≥ 205-245  MPA)  ELONGATION (≥ %)  WALL THICKNESS  OUTSIDE DIAMETER  COPPER PIPE  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  CUTUBE	SPECIFICATION	2-910MM
CU (MIN)  99.97%  ALLOY OR NOT  ULTIMATE STRENGTH (≥ 205-245  MPA)  ELONGATION (≥ %)  WALL THICKNESS  O.1-30MM CUSTOMIZED  OUTSIDE DIAMETER  2-910MM  MODEL NUMBER  COPPER PIPE  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	GRADE	COOPER
ALLOY OR NOT  ULTIMATE STRENGTH (≥ 205-245  MPA)  ELONGATION (≥ %)  WALL THICKNESS  0.1-30MM CUSTOMIZED  OUTSIDE DIAMETER  2-910MM  MODEL NUMBER  COPPER PIPE  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	LENGTH	1-12M
ULTIMATE STRENGTH (≥ MPA)  ELONGATION (≥ %)  WALL THICKNESS  O.1-30MM CUSTOMIZED  OUTSIDE DIAMETER  2-910MM  MODEL NUMBER  COPPER PIPE  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	CU (MIN)	99.97%
MPA)  ELONGATION (≥ %)  WALL THICKNESS  0.1-30MM CUSTOMIZED  OUTSIDE DIAMETER  2-910MM  MODEL NUMBER  COPPER PIPE  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	ALLOY OR NOT	NON-ALLOY
WALL THICKNESS  0.1-30MM CUSTOMIZED  OUTSIDE DIAMETER  2-910MM  MODEL NUMBER  COPPER PIPE  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	•	205-245
OUTSIDE DIAMETER  2-910MM  MODEL NUMBER  COPPER PIPE  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	ELONGATION (≥ %)	40
MODEL NUMBER  COPPER PIPE  PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	WALL THICKNESS	0.1-30MM CUSTOMIZED
PLACE OF ORIGIN  CHINA  JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	OUTSIDE DIAMETER	2-910MM
JIANGSU  PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	MODEL NUMBER	COPPER PIPE
PROCESSING SERVICE  BENDING, DECOILING, WELDING, PUNCHING, CUTTING  KEYWORD  AIR CONDITION OR REFRIGERATOR  SHAPE  COPPERTUBE	PLACE OF ORIGIN	CHINA
CUTTING  KEYWORD AIR CONDITION OR REFRIGERATOR  SHAPE COPPERTUBE		JIANGSU
SHAPE COPPERTUBE	PROCESSING SERVICE	
	KEYWORD	AIR CONDITION OR REFRIGERATOR
MOQ 1 TON	SHAPE	COPPERTUBE
	MOQ	1 TON
SAMPLE AVALIABLE	SAMPLE	AVALIABLE
SURFACE POLISHED	SURFACE	POLISHED

QUALITY	HIGH QUALITY
APPLICATION	INDUSTRIAL
PACKAGE	STANDARD SEAWORTHY PACKAGE



copper Wuxi Jinnuo copper Co.,Ltd



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China