



Soft TB00 Beryllium Copper Alloy Strip Uns C17200 For Electrical Switch

Our Product Introduction

Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: ISO, AISI, ASTM, GB, EN, DIN
- Model Number: 0.1nm-900nm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Packaging Details: Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union
- Supply Ability: 90000ton



Product Specification

- Coefficient Of Thermal Expansion: 17.2 $\mu\text{m}/\text{m}^\circ\text{C}$
- Density: 8.9 G/cm³
- Electrical Resistivity: 0.15 $\mu\Omega\text{m}$
- Elongation: 20 %
- Fatigue Strength: 150 MPa
- Hardness: HB 90
- Material: Chromium Zirconium Copper
- Melting Point: 1084 $^\circ\text{C}$
- Modulus Of Elasticity: 120 GPa
- Poisson's Ratio: 0.35
- Shear Modulus: 45 GPa
- Tensile Strength: 360 MPa
- Thermal Conductivity: 170 W/mK
- Thickness: Sheet



More Images



for more products please visit us on copper-solid.com

Product Description

Key attributes

Industry-specific attributes

Material	Cobalt beryllium copper
Cu (Min)	99.5%
Alloy Or Not	Is Alloy

Other attributes

Place of Origin	Shandong China
Application	Resistance welding equipment
Width	7-600mm
Grade	Cobalt beryllium copper
Model Number	C17500
Brand Name	Jinshunlai
Processing Service	Bending, Welding, Decoiling, Cutting, Punching
Surface	Smooth
Payment terms	30%TT Advance + 70% Balance
MOQ	100kg
Package	Standard Sea Worthy Package
DELIVERY TIME	7-15 Days
Sample	Avaliable
Temper	A/ 1/4H/ 1/2H/ H

Packaging & delivery

Package Type:	Standard Sea-worthy Packing As requirement ☐ ☐
---------------	--

Supply Ability

Supply Ability	5000 Metric Ton/Metric Tons per Month
----------------	---------------------------------------



copper
jin chun tai

Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China