

china

1kg

5day

90000ton

jinshunlai

0.1nm-900nm

Contact Us

or customized package

L/C, T/T, Western Union

ISO, AISI, ASTM, GB, EN, DIN

Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package,

Uns C11000 Beryllium Copper Alloy Sheet Plate QBe2.0 With Hard State

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:




Product Specification

- Coefficient Of Thermal Expansion:
- Density:
- 17.2 µm/m°C
- Electrical Resistivity:
- Application:
- Conductivity:
- Elastic Modulus:
- Heat Treatment:
- Surface:
- Width:
- Highlight:

8.9g/cm3
0.15 μΩm
Electronics, Automotive, Aerospace
≥20%IACS

- ≥100Gpa
- Annealing
 - Bright
 - 200mm-1000mm
 - C11000 Beryllium Copper Alloy, Beryllium Copper Alloy Plate, uns c11000 copper Sheet



More Images



Product Description

Key attributes

Industry-specific attributes

Cu (Min)	CuBe
Alloy Or Not	Is Alloy

Other attributes

Place of Origin	Shandong, China
Brand Name	Jinshunlai
Model Number	C17500
Application	Industrial,welding
Shape	Round
Length	Customized
Grade	СиВе
Processing Service	Bending, Welding, Decoiling, Cutting, Punching
Product Name	Beryllium Copper Strip CuBe2 C17200 Copper Foil
Material	Beryllium Copper Alloy
Grade	CuBe2 C17200
Surface	Bright
Hardness	HRC26-88
Size	Custom Size
Strength of extension	540~640 MPa
Certificate	ROHS
MOQ	20kgs
Delivery time	7-25 Days

Packaging & delivery

Package Type:	Nichrome wire are rolled on white ABS spool and packed with plastic film, in cartoon boxes. Special packaging requirements can also be accommodated. OEM is also acceptable.
Supply Ability	
Supply Ability	180 Ton/Tons per Month

