



DIN.2.1247 Beryllium Solid Bare Copper Wire 0.4 mm For Spring Connectors

Our Product Introduction

for more products please visit us on copper-solid.com

Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: IOS
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: contact us
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union,D/P
- Supply Ability: 90000ton



Product Specification

- Application: Electrical
- Color: Red
- Insulation Material: None
- Stranding: Solid
- Voltage Rating: 600V
- Wire Gauge: 14 AWG
- Color: Red Yellow
- Highlight: **DIN.2.1247 Solid Bare Copper Wire,
0.4 mm Solid Bare Copper Wire,
Beryllium 0.4 mm copper wire**



More Images



Product Description**Industry-specific attributes**

Cu (Min)	≥65%
Alloy Or Not	Non-Alloy
Ultimate Strength (≥ MPa)	315

Other attributes

Place of Origin	jiangsu, China
Type	Red Copper Wire
Application	Conductive
Grade	Brass,Copper
Brand Name	jinshunlai
Model Number	C11000 C12200 etc
Processing Service	Bending, Decoiling, Welding, Punching, Cutting
Product name	99.9% Pure Copper Wire, Dead Soft copper wire rod C11000
Key word	12ga Copper Wire
MOQ	1ton
Grade	C12000 C11000 C1100 C1202
PACKAGE	Carton
PRICE TERM	CIF CFR FOB EX-WORK
DELIVERY TIME	7-10 Days
Sample	Avaliable

Diameter	0.3mm-12mm
Color	Red Copper

Packaging and delivery

Packaging Details	Standard Seaworthy Package,inside is kraft paper,water plastic film is in the middle and outside is GI sheet to be covered by steel strip with lock
Port	Tianjin /Qingdao port
Package Type:	Standard Seaworthy Package,inside is kraft paper,water plastic film is in the middle and outside is GI sheet to be covered by steel strip with lock

attribute-list

Supply Ability	10000 Ton/Tons per Month
----------------	--------------------------

