

Grounding Copper Flexible Busbar Connectors Link OEM

Our Product Introduction

for more products please visit us on copper-solid.com

Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: ISO, AISI, ASTM, GB, EN, DIN
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Packaging Details: Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union
- Supply Ability: 90000ton



Product Specification

- Chemical Composition: Cu-Ni
- Corrosion Resistance: Excellent
- Density: 8.9 G/cm3
- Electrical Conductivity: $\leq 20\%$ IACS
- Elongation: 30-40%
- Formability: Good
- Hardness: High
- Heat Treatment: Annealing
- Machinability: Good
- Melting Point: 1453-1475°C
- Name: Copper Connector
- Tensile Strength: 400-550 MPa
- Thermal Conductivity: 50-70 W/mK
- Weldability: Good
- Yield Strength: 200-350 MPa



More Images



Product Description

Grounding Copper Flexible Busbar Connectors Link OEM

Other attributes

| | |
|-----------------|---|
| Place of Origin | China |
| Model Number | Lifepo4 Batteries Link Bar Busbar Flexible Connection Bar |
| Product Name | busbars laminated copper bus bars connector |
| Size | 90*20*3mm |
| screw | M6/ M8/Steel/ Zinc Plated |

Packaging & delivery

| | |
|----------------------|--|
| Selling Units: | Single item |
| Single package size: | 9X2X0.3 cm |
| Single gross weight: | 0.090 kg |
| Package Type: | Use high hardness custom sponge to strengthen the battery, five layers of dangerous goods export corrugated carton, to ensure free transportation. |



Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China

