



Laminated AST Copper Busbar Flexible Connectors Terminal

Our Product Introduction

Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: ISO, AISI, ASTM, GB, EN, DIN
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Packaging Details: Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union
- Supply Ability: 90000ton



Product Specification

- Chemical Composition: Cu-Ni
- Corrosion Resistance: Excellent
- Density: 8.9 G/cm3
- Electrical Conductivity: $\leq 20\%$ IACS
- Elongation: 30-40%
- Formability: Good
- Hardness: High
- Heat Treatment: Annealing
- Machinability: Good
- Melting Point: 1453-1475°C
- Name: Copper Connector
- Tensile Strength: 400-550 MPa
- Thermal Conductivity: 50-70 W/mK
- Weldability: Good
- Yield Strength: 200-350 MPa



for more products please visit us on copper-solid.com

Product Description

Overview

Key attributes

Industry-specific attributes

Type	CONNECTORS
Application	Power
Gender	Male

Other attributes

Place of Origin	Jiangsu, China
Brand Name	jinshunlai
Model Number	PCT225
Product name	Wire Connector
Color	Grey
Material	PA66
Certificate	CE ROHS
Rated Voltage	250V
Rated Current	32A
MOQ	30 Pcs
Function	Connected
Market	Global
Keywords	Electric Wire Connector

Product details

Product Description

laminated copper foil connector is an excellent electrical conductor, the laminated copper foil connectors are normally used in **new-energy vehicles, switchgear industries, power plants, cathodic protection, bus ducts, transformer, vacuum circuit breaker, resistance welding engineering, electric locomotives and furnaces, etc.**

Detailed Images





Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China