Electrolytic Copper Phosphorus Brazing Rods 400N Bending Strength

Basic Information


Place of Origin: chinaBrand Name: jinshunlaiCertification: IOS

Model Number: 0.1mm-900mm

Minimum Order Quantity: 1kgPrice: contact usDelivery Time: 5day

• Payment Terms: L/C, T/T, Western Union,D/P

Supply Ability: 90000ton



Product Specification

. Bending Strength: 400N Compression Strength: 500N Diameter: 12mm Hardness: HV100 • Impact Strength: 300N . Length: 1m Material: Copper • Package: Carton

• Product Name: Copper Earth Rod

Shear Strength: 200N
Surface Treatment: Galvanized
Tensile Strength: 1000N
Thread: M8
Torsion Strength: 200N
Weight: 1.2kg



More Images



Product Description

Electrolytic Copper Phosphorus Brazing Rods 400N Bending Strength

Industry-specific attributes

Brand Name jinshunlai	
-----------------------	--

Other attributes

Place of Origin	Jiangsu, China
Model Number	JDB-J210
Item	Electrode Copper Earth Rod
Material	Copper Layer and Steel Core
Copper layer thickness	>=0.254mm
Purity of Copper	>=99.95%
Tensile strength	>=580Nm/mm
Straightness error	<=1mm/m
Service life	>=50 years
Diameter	14.2mm~25mm; (5/8, 3/4)
Length	1.2m~3.0m(4ft~10ft)
Certication	ISO9001: 2008


Packaging & delivery

Package Type:	10pcs/bundle, 20-50budles/pallet for Electrode Copper Earth Rod.

Supply Ability

Supply Ability	50000 Piece/Pieces per Month
----------------	------------------------------







Copper Wuxi Jinnuo copper Co.,Ltd



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China