TU1 TU2 4MM 6MM 10MM Solid Copper Pipe 3m Customized

Basic Information

Place of Origin: chinaBrand Name: JinshunlaiCertification: IOS

Model Number: 0.1mm-900mm

Minimum Order Quantity: 1kgPrice: 5000usdDelivery Time: 5day

• Payment Terms: L/C, T/T , Western Union,D/P

• Supply Ability: 90000ton



Product Specification

Industrial . Application: Red Color: • Corrosion Resistance: Excellent • Diameter: Customizable • Durability: Excellent · Length: Customizable Material: Copper • Pressure Rating: High Pipe • Shape: · Size: Customizable

Standard: ASTM
Surface Treatment: Polished
Temperature Rating: High

Thickness: CustomizableColor: Red Yellow



More Images



Product Description

Overview

Key attributes

Industry-specific attributes

Туре	Pancake Coil Copper Pipe
Cu (Min)	99.99%
Alloy Or Not	Non-Alloy
Ultimate Strength (≥ MPa)	205
Elongation (≥ %)	40%

Other attributes

Place of Origin	China
Application	Air Condition Or Refrigerator
Specification	Customized
Grade	Cooper
Length	1-12m
Wall Thickness	0.3mm~20mm
Outside Diameter	3-360mm
Model Number	copper tube
Processing Service	Cutting
Product Name	Copper Tube
Material	High Purity 99.9% Copper
Length	As required
Certification	ISO9001,TUV

View More

Product details

Products Description

Description	15mm diameter medical copper pipe/tube
Standard	ASTMB280,JIS H3300,AS/NZS1571.JIS3300-2006
Material	UNS:C10100,C10200,C11000,C12000. GB:TU0,TU1,TU2,TU3,TP1,TP2 JIS:C1011,C1020,C1100,C1221,C1201,C1220
Surface	mill,polished,bright,oiled,hair line,brush,mirror,sand blast,or as required
Hardness	1/16 hard,1/8 hard,3/8 hard,1/4 hard,1/2hard,full hard,soft,etc
Shape	Round, Square, Rectangular, Oval, half-round
Size	OD:2mm~610mm WT:0.3mm~80mm Length: 1m, 2m, 3m, 6m, or as required.
Application	Copper are of good heat conductibility. They are widely used for heat exchangers, radiators, coolers, electro-heat up pipe, air conditioner and refrigerators, oil transportation, brake pipes, water pipes and gas pipes for construction, etc.

