

# DT Series Cable Electrical Copper Connector Terminal Lug 10q

#### **Basic Information**

Place of Origin: chinaBrand Name: jinshunlai

Certification: ISO, AISI, ASTM, GB, EN, DIN

Model Number: 0.1mm-900mm

Minimum Order Quantity: 1kg

• Price: Contact Us

Packaging Details: Waterproof Paper, Steel Strip Packed and

other Standard Export Seaworthy Package,

or customized package

• Delivery Time: 5day

• Payment Terms: L/C, T/T, Western Union

Supply Ability: 90000ton



## **Product Specification**

• Chemical Composition: Cu-Ni · Corrosion Resistance: Excellent 8.9 G/cm3 . Density: • Electrical Conductivity: ≤20%IACS . Elongation: 30-40% Formability: Good . Hardness: High . Heat Treatment: Annealing Machinability: Good

Melting Point: 1453-1475°C
Name: Copper Connector
Tensile Strength: 400-550 MPa
Thermal Conductivity: 50-70 W/mK
Weldability: Good

Yield Strength: 200-350 MPa



## More Images



## **Product Description**

## Key attributes

#### Other attributes

Place of Origin	shandong, China
Brand Name	jinshunlai
Model Number	AWG 2/0*3/8
Туре	lug
ITEM NO:	AWG 2/0*3/8
Type:	Cable Lug
Material of terminal:	Copper
A.W.G	2/0 70MM <sup>2</sup>
Screw	3/8 M10
Surface treatment:	Pickling
Usage:	Connecting cable
Sample:	Available
Packing:	Standard Packing or Customized
Color	Nature

## Packaging & delivery

Package Type:	Outer packing: Carton box with size is 37'31'34cm or 37'37'18cm, it depends
	on the goods. Inner packing:100pcs/bag or as customer's requirement.

## **Supply Ability**

Supply Ability 200000 Piece/Pieces per Month AWG Cable Lug

Detailed Images



Copper Wuxi Jinnuo copper Co.,Ltd







sales01@shuangheyisteel.com



copper-solid.com

