



C83600 Eccentric Cast Bronze Bushing Cone Crusher Oil Impregnated

Our Product Introduction

Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: ISO, AISI, ASTM, GB, EN, DIN
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Packaging Details: Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union
- Supply Ability: 90000ton



Product Specification

- Chemical Composition: Cu-Ni
- Corrosion Resistance: Excellent
- Density: 8.9 G/cm3
- Electrical Conductivity: ≤20%IACS
- Elongation: 30-40%
- Formability: Good
- Hardness: High
- Heat Treatment: Annealing
- Machinability: Good
- Melting Point: 1453-1475°C
- Name: Copper Nickel Alloy
- Tensile Strength: 400-550 MPa
- Thermal Conductivity: 50-70 W/mK
- Weldability: Good
- Yield Strength: 200-350 MPa



More Images



for more products please visit us on copper-solid.com

Product Description

Key attributes

Industry-specific attributes

Applicable Industries	Building Material Shops, Manufacturing Plant, Machinery Repair Shops, Retail, Construction works
Type	sleeve
Material	Copper Alloy

Other attributes

Place of Origin	Shandong, China
Brand Name	jinshunlai
Model Number	M5M6M8M12M13M15M16M20M25
Product name	Copper bushings
Size	M5M6M8M12M13M15M16M20M25M30
Usage	measure sleeves
density	8.7 (g/cm)
Max Dynamic Load	60 N/mm2
Max Linear Velocity(Grease) m/s	0.85

Packaging & delivery

Selling Units:	Single item  
Single package size:	6X6X5 cm
Single gross weight:	0.300 kg
Package Type:	Packing Details : Small piece goods are self-sealing bag packing + carton

**Wuxi Jinnuo copper Co.,Ltd**

+86-17763564398



sales01@shuangheyisteel.com

copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China

