

Cold Rolled ASTM 201 304 316 316l 430 Stainless Steel Coil Bright Surface SS Coil Sheet

Basic Information

Place of Origin: chinaBrand Name: jinshunlai

• Certification: ISO, AISI, ASTM, GB, EN, DIN

Model Number: 0.1mm-900mm

• Minimum Order Quantity: 1kg

• Price: Contact Us

Packaging Details: Waterproof Paper, Steel Strip Packed and

other Standard Export Seaworthy Package,

or customized package

Delivery Time: 5day
Payment Terms: T/T
Supply Ability: 90000ton



Product Specification

Certificate: ISO, SGS, BV
Edge: Slit Edge/Mill Edge
Grade: 200/300/400/900 Series

Material: Stainless Steel
 Thickness: 0.1mm-50mm
 Width: 1000mm-2000mm
 Application: Building, Construction, etc

• Tolerance: ±1%

• Processing Service: Welding, Punching, Cutting, Bending,

Decoiling



More Images



Product Description

COLD ROLLED ASTM 201 304 316 316L 430 STAINLESS STEEL COIL BRIGHT SURFACE SS COIL SHEET

Features

1. High durability, protection from corrosion, perfect finish, and complete steady quality 2. Stainless steel coils are flat strips that are rolled from the flat sheets of stainless steel.

The thickness can vary from 0.02mm to 6mm. 3. Surface finish of coils available: NO.1, 2B, 2H(Rerolled Bright), BA, No.4, 8K (Mirror), HL (Hairline), Polishing Bright, etc.

Product Description

Stainless steel does not stain, corrode, or rust as easily as regular carbon steel and provides high strength and impact resistance along with the aesthetic appeal. The material also has anti-bacterial qualities and is easy to clean and sanitize. **Stainless steel sheet** and **stainless steel plate** are both a perfect solution for applications that require a durable metal with anti-oxidation qualities.

We offer **Stainless steel sheet** and **stainless steel plate** with high quality and competitive price. And the material is manufactured by TISCO, BAOSTEEL, POSCO, LISCO and so on. Mainly used in architectural decoration, luxury doors, elevator decoration, metal tank shell, shipbuilding, train interior decoration, and outdoor engineering, advertising nameplates, ceilings and cabinets, aisle panels, screens, tunnel projects, hotels, guesthouses, entertainment venues, kitchens Equipment, light industry, etc.



Zero Spangle GI Coil



Regular Spangle GI Coil



Big Spangle GI Coil

type of spangle



No spangle



Small spangle



Regular spangle



Big spangle

Specification

ITEM	DESCRIPTION	
Product Name	ss coil supplier hot roll coil price 430BA 304BA 201 stainless steel coil	
Standard	JIS, AISI, ASTM, GB, DIN, EN, etc.	
Certificatio n	ISO, BV, SGS	
Material	200 series 300 series 400 series 600 series	
Model Number	304,304L,316L,316Ti,309S,310S,321,321H314,2205,S32205,,2507, S32750,600,631800H,825901,903,904L,N08904,,1.4529,N08926,317L, 317LN347H,348H(253MA,S30815),254SMO,S31254,25- 6MOS32760440A, 440B,440CGH3030GH3039(C276,HC-276 Hastelloy)724L,725LN	
Width	100mm, 500mm, 600mm, 1000mm, 1250mm, 1500mm, 1800mm, 2000mm, or, as required	
Thickness	0.2mm-15mm, or as required	
Technique	Cold Rolled, hot rolled	
Surface Treatment	Polishing, Annealing, Pickling, Bright, or as required	
Surface Finished	BA/2B/NO.1/NO.3/NO.4/8K/HL/2D/1D, or as required	
Thickness Tolerance	±0.05mm, or as required	
Package	Standard export seaworthy package . Water proof paper+Metal pallet+Angle bar protection+Steel belt or as required.	
Payment	$\mbox{L/C}$ at sight or 30% TT as deposit and the balance paid against copy of B/L, west union, money gram	
Price Term	CIF, CFR, FOB, EX-WORK	
Loading Port	Shanghai, Lianyungang, Tianjin, Ningbo,China	
Place of Origin	Jiangsu, China	
Delivery Time	Prompt delivery 7-15 days after deposit or as order quantity.	
MOQ	1 ton , sample or trial order acceptable	
Sample	free provided, courier fee by the buyer's side.	
Advantage s	Showing the splendor of your quality, wear-resistant as well, strong corrosion resistance and decorative effect.	
Application	Stainless coil is commonly used in kitchen equipment, furnace parts, heat exchangers and decorative applications, etc	
Container Size	20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 40ft HC: 12032mm(Lengh)x2352mm(Width)x2698mm(High)	


Packaging and delivery


Packaging Details	STANDARD EXPORT PACKAGE. WOODEN BOX WITH WATERPROOF
Port	Qingdao

attribute-list













APPLICATION




Fire building engineering



Power Construction Project







Automobile industry



Copper Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China