




Stainless Steel Coil Strip 304 316 316l 316ti 310s 300 Series Ss Sheet for Wall Decoration

Our Product Introduction


Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: ISO, AISI, ASTM, GB, EN, DIN
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Packaging Details: Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
- Delivery Time: 5day
- Payment Terms: T/T
- Supply Ability: 90000ton




Product Specification

- Certificate: ISO, SGS, BV
- Edge: Slit Edge/Mill Edge
- Grade: 200/300/400/900 Series
- Material: Stainless Steel
- Thickness: 0.1mm-50mm
- Width: 1000mm-2000mm
- Application: Building, Construction, etc
- Tolerance: $\pm 1\%$
- Processing Service: Welding, Punching, Cutting, Bending, Decoiling



More Images



for more products please visit us on copper-solid.com

Product Description

STAINLESS STEEL COIL STRIP 304 316 316L 316TI 310S 300 SERIES SS SHEET FOR WALL DECORATION

Products Description

Product Name	Stainless Steel Coil
Standard	ASTM, AISI, GB, DIN, JIS, EN
Material	201, 202, 303, 304, 304L, 309S, 310, 310S, 314, 316, 316L, 630, 840, 904L and so on
Shape	Sheet Coil
Technology	Cold rolling, hot rolling
Width	500-2000mm
Thickness	0.1-15mm
Surface Finish	BA, 2B, No.1, No.3, NO.4, 8K, HL

Product Display




Corrosion Resistance

For high temperature applications, high temperature applications require strong sensitization resistance to prevent intergranular corrosion at lower temperatures


Clean surface

It can keep the surface clean, so its heat transfer is better than other metals with higher thermal conductivity

Product Description



Zero Spangle GI Coil



Regular Spangle GI Coil



Big Spangle GI Coil

type of spangle



No spangle




Small spangle




Regular spangle




Big spangle



NO.1




2B




BA



8K/Mirror



Hairline





Colored

Specification



ITEM	DESCRIPTION
Product Name	ss coil supplier hot roll coil price 430BA 304BA 201 stainless steel coil
Standard	JIS, AISI, ASTM, GB, DIN, EN, etc.
Certification	ISO, BV, SGS
Material	200 series 300 series 400 series 600 series
Model Number	304,304L,316L,316Ti,309S,310S,321,321H314,2205,S32205,,2507, S32750,600,631800H,825901,903,904L,N08904,,1.4529,N08926,317L , 317LN347H,348H(253MA,S30815),254SMO,S31254,25-6MOS32760440A, 440B,440CGH3030GH3039(C276,HC-276 Hastelloy)724L,725LN
Width	100mm, 500mm, 600mm, 1000mm, 1250mm, 1500mm, 1800mm, 2000mm, or, as required
Thickness	0.2mm-15mm, or as required
Technique	Cold Rolled, hot rolled
Surface Treatment	Polishing, Annealing, Pickling, Bright, or as required
Surface Finished	BA/2B/NO.1/NO.3/NO.4/8K/HL/2D/1D, or as required
Thickness Tolerance	±0.05mm, or as required
Package	Standard export seaworthy package . Water proof paper+Metal pallet+Angle bar protection+Steel belt or as required.
Payment	L/C at sight or 30% TT as deposit and the balance paid against copy of B/L, west union, money gram
Price Term	CIF, CFR, FOB, EX-WORK
Loading Port	Shanghai, Lianyungang, Tianjin, Ningbo,China
Place of Origin	Jiangsu, China
Delivery Time	Prompt delivery 7-15 days after deposit or as order quantity.
MOQ	1 ton , sample or trial order acceptable
Sample	free provided, courier fee by the buyer's side.
Advantages	Showing the splendor of your quality, wear-resistant as well, strong corrosion resistance and decorative effect.
Application	Stainless coil is commonly used in kitchen equipment, furnace parts, heat exchangers and decorative applications, etc
Container Size	20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 40ft HC: 12032mm(Lengh)x2352mm(Width)x2698mm(High)

Packaging and delivery

Packaging Details	1.Packing in bales with steel scrips 2.Plastic packing for each bundle of steel pipes 3.Paving Waterproof Plastics in Containers 4.High-quality desiccant moistureproof 5.Container transport 6. As the customer's requirement. <div>   </div>
Port	Qingdao

attribute-list

Supply Ability	1000 Ton/Tons per Month
----------------	-------------------------



APPLICATION



Fire building engineering



Power Construction Project



Machine made



Construction works



Construction works



Automobile industry

Stainless steel coil size can be processed.

Adopt mature cutting technology, cut smooth and tidy, seiko casting.



Wuxi Jinnuo copper Co.,Ltd



+86-17763564398



sales01@shuangheyisteel.com



copper-solid.com

32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China