



Red Copper Cable Lug Terminal Wire Nose Fitting 5A To 1000A OT

Our Product Introduction

Basic Information

- Place of Origin: china
- Brand Name: jinshunlai
- Certification: ISO, AISI, ASTM, GB, EN, DIN
- Model Number: 0.1mm-900mm
- Minimum Order Quantity: 1kg
- Price: Contact Us
- Packaging Details: Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
- Delivery Time: 5day
- Payment Terms: L/C, T/T , Western Union
- Supply Ability: 90000ton



Product Specification

- Chemical Composition: Cu-Ni
- Corrosion Resistance: Excellent
- Density: 8.9 G/cm3
- Electrical Conductivity: $\leq 20\%$ IACS
- Elongation: 30-40%
- Formability: Good
- Hardness: High
- Heat Treatment: Annealing
- Machinability: Good
- Melting Point: 1453-1475°C
- Name: Copper Connector
- Tensile Strength: 400-550 MPa
- Thermal Conductivity: 50-70 W/mK
- Weldability: Good
- Yield Strength: 200-350 MPa



More Images



for more products please visit us on copper-solid.com

Product Description

5A to 1000A OT wire nose red copper terminal blocks fitting extrusion open brass nose wire connectors

Other attributes

Place of Origin	Jiangsu, China
Brand Name	jinshunlai
Model Number	PWR
Material	T2
Thickness	3-50mm
Welding	10-200mm
OEM	Accepted
Purity	99.9%
Type	Copper foil connector
copper foil	120*0.2M
Name	High Quality Flexible Laminated Copper Shunt

Packaging & delivery

Package Type:	3000a flexible laminated copper busbar Plastic bags ,blister card ,standard export cartons 
---------------	--

Supply Ability

Supply Ability	1000 Piece/Pieces per Week
----------------	----------------------------

Product details

Product Description

laminated copper foil connector is an excellent electrical conductor, the laminated copper foil connectors are normally used in **new-energy vehicles, switchgear industries, power plants, cathodic protection, bus ducts, transformer, vacuum circuit breaker, resistance welding engineering, electric locomotives and furnaces**, etc.

Detailed Images



